

glycero-3-phosphocholine (DP-DCF; Z=5), p.o. by gavage daily for 14 days. Animals treated with the vehicle solution alone serve as control group.

# IN THE CLAIMS

Please amend claims 2, 10 and 20 as follows:

2. (Amended) The compound according to claim 1, wherein the conjugated residue of the nonsteroidal anti-inflammatory drug is pharmacologically inactive.

10. (Amended) The compound according to claim 1 selected from the group consisting of:

1-Stearoyl-2-{3-[2-(2,6-dichloroanilino)phenylacetamido]propanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{4-[2-(2,6-dichloroanilino)phenylacetamido]butanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{5-[2-(2,6-dichloroanilino)phenylacetamido]valeroyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{6-[2-(2,6-dichloroanilino)phenylacetamido]hexanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{8-[2-(2,6-dichloroanilino)phenylacetamido]octanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{12-[2-(2,6-dichloroanilino)phenylacetamido]dodecanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{3-[1-(p-chlorobenzoyl)-5-methoxy-2-methyl indolylacetamido]propanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{4-[1-(p-chlorobenzoyl)-5-methoxy-2-methyl indolylacetamido]butanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{5-[1-(p-chlorobenzoyl)-5-methoxy-2-methyl indolylacetamido]valeroyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{6-[1-(p-chlorobenzoyl)-5-methoxy-2-methyl indolylacetamido]hexanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{8-[1-(p-chlorobenzoyl)-5-methoxy-2-methyl indolylacetamido]octanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{3-[ $\alpha$ -methyl-4-(2-methylpropyl)benzeneacetamido] propanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{6-[ $\alpha$ -methyl-4-(2-methylpropyl)benzeneacetamido] hexanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{3-[(S)-6-methoxy- $\alpha$ -methyl-2-naphtaleneacetamido] propanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{4-[(S)-6-methoxy- $\alpha$ -methyl-2-naphtaleneacetamido] butanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{6-[(S)-6-methoxy- $\alpha$ -methyl-2-naphtaleneacetamido] hexanoyl}-sn-glycero-3-phosphocholine, and

1-Stearoyl-2-{4-[2-(6-methoxynaphtyl)acetamido]butanoyl}-sn-glycero-3-phosphocholine.

20. (Amended) The pharmaceutical composition according to claim 11, wherein said compound of the general formula I is selected from the group consisting of:

1-Stearoyl-2-{3-[2-(2,6-dichloroanilino)phenylacetamido]propanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{4-[2-(2,6-dichloroanilino)phenylacetamido]butanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{5-[2-(2,6-dichloroanilino)phenylacetamido]valeroyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{6-[2-(2,6-dichloroanilino)phenylacetamido]hexanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{8-[2-(2,6-dichloroanilino)phenylacetamido]octanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{12-[2-(2,6-dichloroanilino)phenylacetamido]dodecanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{3-[1-(p-chlorobenzoyl)-5-methoxy-2-methyl indolylacetamido]

propanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{4-[1-(p-chlorobenzoyl)-5-methoxy-2-methyl indolylacetamido]butanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{5-[1-(p-chlorobenzoyl)-5-methoxy-2-methyl indolylacetamido]valeroyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{6-[1-(p-chlorobenzoyl)-5-methoxy-2-methyl indolylacetamido]hexanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{8-[1-(p-chlorobenzoyl)-5-methoxy-2-methyl indolylacetamido]octanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{3-[ $\alpha$ -methyl-4-(2-methylpropyl) benzeneacetamido]propanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{6-[ $\alpha$ -methyl-4-(2-methylpropyl)benzeneacetamido] hexanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{3-[(S)-6-methoxy- $\alpha$ -methyl-2-naphtaleneacetamido]propanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{4-[(S)-6-methoxy- $\alpha$ -methyl-2-naphtaleneacetamido] butanoyl}-sn-glycero-3-phosphocholine,

1-Stearoyl-2-{6-[(S)-6-methoxy- $\alpha$ -methyl-2-naphtaleneacetamido] hexanoyl}-sn-glycero-3-phosphocholine, and

1-Stearoyl-2-{4-[2-(6-methoxynaphtyl)acetamido]butanoyl}-sn-glycero-3-phosphocholine.

### REMARKS

Claims 1-33 are in this application.

In the Office Action dated January 6, 2003, the Examiner indicated that claims 1-33 were subject to a Restriction Requirement for lack of unity of invention under PCT Rule 13.1 and 13.2, and required that Applicants "elect a single invention to which the claims must be restricted." In response to the restriction requirement, on February 5, 2003, Applicants filed a